



**Manchester
Metropolitan
University**

Canty, SWJ, Preziosi, RF and Rowntree, JK (2018) Dichotomy of mangrove management: A review of research and policy in the Mesoamerican reef region. *Ocean and Coastal Management*, 157. pp. 40-49. ISSN 0964-5691

Downloaded from: <https://e-space.mmu.ac.uk/620475/>

Publisher: Elsevier

DOI: <https://doi.org/10.1016/j.ocecoaman.2018.02.011>

Usage rights: Creative Commons: Attribution-Noncommercial-No Derivative Works 4.0

Please cite the published version

<https://e-space.mmu.ac.uk>

Dichotomy of mangrove management: A review of research and policy in the
Mesoamerican reef region.

Steven W. J. Canty ^{a,b}, Preziosi Richard F.^b, Rowntree, Jennifer ^b

^a Smithsonian Marine Station, Marine Conservation Program, 701 Seaway Drive, Fort
Pierce, Florida 34949, USA

^b Manchester Metropolitan University, School of Science and the Environment, John
Dalton East, Manchester M1 5GD, UK.

Abstract

Mangroves are declining globally at faster rates than tropical forests and coral reefs, with primary threats including, aquaculture, agriculture and climate change. Mangroves provide ecosystem services to coastal communities of Mexico, Belize, Guatemala and Honduras, which comprise the Mesoamerican Reef (MAR) ecoregion. Over the past two decades mangroves within the MAR have declined. Current estimates of mangrove cover in the region suggest that mangroves cover 239,176 ha of the MAR, equivalent to 1.7% of the world's mangroves. Concerted efforts to manage, conserve and protect mangrove forest are apparent in all four countries. Comprehensive laws that prohibit the cutting and clearing of mangroves have been implemented in Mexico, Guatemala and Honduras. Belize has a permitting system to regulate mangrove alterations. In addition, a total of seven international and regional agreements have been ratified. Across the ecoregion, forty-three protected areas have been designated that contain mangroves, providing protection to 111,396 ha of mangroves (47% of the total). However, our findings suggest a lack of transparency in the governance framework, a disconnect between management and research, and geopolitical differences have all played a role

in reducing management efficacy. A key finding of our study reveals a distinct division in the perceived major threats to mangroves between Ramsar site managers and researchers. Ramsar site managers identify anthropogenic disturbances as key threats, while in contrast, the bulk of research focuses on natural disturbances. To promote the inclusion of evidence-based research within mangrove management plans, greater efforts to connect these important stakeholders are required.

Keywords: Mangroves, Management, Conservation, Research foci, Mesoamerica, Threats.

Introduction

Mangroves are a diverse group of halophytic plant species, which form highly productive forests in the area between mean sea level and the highest spring tide mark along tropical and sub-tropical coastlines and estuaries (Tomlinson, 1994). Once perceived as mosquito infested wastelands, mangroves have now been recognized as highly productive and ecologically important ecosystems. Providing ecosystem services to marine and terrestrial environments, and human societies (Gilman *et al.*, 2008; Nagelkerken *et al.*, 2008), which are valued at US\$9,900–35,900 ha⁻¹yr⁻¹ (Costanza *et al.*, 1997; Sathirithai and Barbier, 2001; Barbier, Hacker, Kennedy, Kock, Stier, 2011). Some of the most important mangrove ecosystem services include: coastline protection (in particular storm, hurricane and tsunami protection); waste water treatment; production of extractable materials; and provision of cultural sites (Rönnbäck, Crona and Ingwall, 2007; Warren-Rhodes *et al.*, 2011). Despite the known value of these forests, mangroves are highly threatened. Deforestation estimates suggest mangrove cover has declined by 30-86% since the mid 1990's (Duke *et al.*, 2007), and mangroves

47 continue to decline globally at unprecedented rates (FAO, 2007). Globally the main
48 threats to mangrove forests include: coastal development; logging for timber and fuel;
49 aquaculture; salt extraction; and agriculture (Valiela, Bowen and York, 2001; Alongi,
50 2002; Rönnbäck, Crona and Ingwall, 2007). The additional threats of climate change,
51 e.g. sea-level rise, are also of concern (Schaeffer-Novelli *et al.*, 2016; Short *et al.*,
52 2016). Understanding if or how mangroves can adapt to such changes is of particular
53 relevance to already threatened ecosystems, e.g. in the Caribbean (Godoy and De
54 Lacerda, 2015; Sasmito *et al.*, 2016).

55 The majority (over 70%) of mangroves are located within developing countries (Giri *et*
56 *al.*, 2011), where limited resources and capacity can inhibit effective management. At
57 the international level, a number of treaties and conventions afford some protection to
58 mangroves (Macintosh and Ashton, 2002), for example: the Ramsar Convention (1974);
59 the Cartagena Convention (1983); and the International Tropical Timber Agreement
60 (2011). However, few of these treaties provide any effective legal protection and none of
61 them address the conservation, preservation, or management of a particular mangrove
62 species (Polidoro *et al.*, 2010). National legislation pertaining to mangrove management
63 in the 1960's was primarily focused on mangrove exploitation (Carter, Schmidt and
64 Hirons, 2015). However, over the past five decades management has progressed and
65 has led to the integration of mangroves into coastal zone management plans (Carter,
66 Schmidt and Hirons, 2015).

67 Common tools for the preservation and management of mangrove and other marine
68 ecosystems include: marine protected areas (MPA's); nature reserves; wilderness
69 areas; national monuments and national parks. Since 1974, increasing protection has

70 been provided through Ramsar site designation. To date, 281 Ramsar sites (12.5% of
71 all Ramsar sites) are intertidal forested wetlands, which includes mangrove forests
72 (www.ramsar.org). Although increased recognition of mangroves in management plans
73 is encouraging, the majority of plans associated with MPA's and Ramsar sites are
74 based on generalized characteristics and threats, with limited reference to prior
75 scientific research. In fact, there appears to be no effective mechanism for creating links
76 between management activities for, and scientific research on, mangroves, thus
77 research is rarely incorporated into management plans. Similar observations have been
78 made in the management of coral reef ecosystems, where a mere 14% of information
79 cited in management plans for the reefs of Australia, Kenya and Belize was primary
80 research (Cvitanovic *et al.*, 2014). In this case, research was deemed to be inaccessible
81 to managers due to, long publication times, subscription only access to research and
82 poor articulation of management implications of the research (Cvitanovic *et al.*, 2014).
83 Yet, for effective management to take place, evidence based decision-making is critical
84 (Christensen *et al.*, 1996; Ruckelshaus *et al.*, 2008).
85 In this article we use the Mesoamerican reef (MAR) ecoregion as a case study, to
86 examine the current status of mangroves, the legislation implemented to protect,
87 manage and conserve mangroves, and review peer-reviewed scientific outputs from the
88 region. The aim of this paper is to understand the current management paradigms
89 within the MAR and identify threats to mangroves within the region. We compare the
90 foci of management strategies and research programs in order to determine where
91 overlap occurs and where there are gaps in the knowledge base.

92 **Methods**

Study area

We have chosen to focus on the Mesoamerican Reef (MAR) ecoregion because the majority of mangrove research is concentrated in South-East Asia, where larger and more diverse stands of mangroves are located (Saenger, 2002). Much less is known about these ecosystems in Latin America and the Caribbean (but see, Ellison and Farnsworth, 1997; Núñez-Farfán *et al.*, 2002; Ellison, 2004). The MAR ecoregion extends over 1000 km from the Yucatan peninsula, Mexico (21.56°N; 087.09°W) to the east coast of Honduras (14.97°N; 083.16°W), encompassing the Caribbean coastlines, open-ocean, networks of cays, and offshore banks of Mexico, Belize, Guatemala and Honduras (Kramer and Kramer, 2002) (Figure 1). It is home to the largest barrier reef in the western hemisphere and supports the livelihoods of approximately two million people (Kramer and Kramer, 2002), of particular importance are the fishing (Box and Canty, 2010) and tourism industries (Doiron and Weissenberger, 2014). Considerable attention has been given to coral reefs in the region, however seagrass and mangrove ecosystems have often been overlooked. In this review we consider the entire Honduran north shore as part of the MAR ecoregion, due to potentially high levels of connectivity between the Honduran east coast and the MAR (Butler *et al.*, 2011; Truelove *et al.*, 2015; Chollett *et al.*, 2017). The boundaries of the ecoregion were originally defined by the presence of several physiogeographic boundaries, these include the Gulf of Mexico, strong oceanic currents between the Yucatan penninsular, Mexico and south west Cuba, the shallow waters of the Nicaraguan rise, Honduras, in addition to a number of terrestrial environmental variables, e.g. rainfall. The ecoregion was officially declared in 1997 as part of the Tulum agreement, where all four countries

116 came together recognizing the importance of the region and the need to jointly manage
117 a shared marine resource (Kramer and Kramer, 2002).

118 *Mangrove cover estimations*

119 First, we estimated mangrove forest cover for each country across the region. The three
120 true mangrove species: *Rhizophora mangle*; *Avicennia germinans* and *Laguncularia*
121 *racemosa* are considered as part of the mangrove forest system in all four countries.
122 However, the mangrove associate *Conocarpus erectus* (Buttonwood mangrove) is only
123 defined as part of the mangrove forest in Guatemala and Honduras. Regardless of a
124 country's definition of the mangrove complex, mangrove cover estimates herein include
125 all four species. Country specific estimates of mangrove cover were taken from the
126 most recent estimates available (Mexico (Rodríguez-Zúñiga *et al.*, 2013), imagery from
127 2010; Belize (Cherrington *et al.*, 2010), imagery from 2010; Guatemala (MARN, 2013),
128 imagery from 2010; and Honduras (Carrasco and Caviedes, 2014), imagery from 2008-
129 2010).




Figure 1. Map of the Mesoamerican Reef Eco-region. Solid line highlights the area included within the study, the official boundary of the MAR (dotted line) does not include the eastern north shore of Honduras.

Mangrove management plans

To ascertain the level of management and protection directly focused on mangroves in each country, we first reviewed national environmental legislation, using Google searches and accessing management plans. We subsequently identified which international and regional conventions and agreements relating to mangroves each country has signed or ratified. Within the Caribbean, protected areas that contain mangroves include Ramsar sites and Marine Protected Areas (MPAs). Ramsar sites

that contain mangroves were identified through the American Ramsar Secretariat (Pers. Comms.) and the Ramsar website (www.ramsar.org). The Healthy Reefs for Healthy People Initiative (HRI; www.healthyreefs.org) provides the names of all of the MPAs within the MAR, which have marine territory, and provides the associated management plan. If a management plan was not available on the HRI website a wider web search was conducted, if after the search we did not identify a management plan we assumed that one did not exist or is not publicly available. Web searches (in English and Spanish), were used to identify management plans for each of the named protected areas. Management plans for protected areas, where available, were downloaded and searched using the keywords mangroves (mangr*) in English, and manglar (mangl*) in Spanish to find explicit references to the management of mangroves. It must be noted that the most recent management plans were used in this review and that management plans within the region are generally designed for a five-year period. In many cases the management period had expired, but we assume that current management strategies are based on the most recent plans.

Scientific literature review

To determine the focus of scientific research on mangroves in the MAR, peer-reviewed scientific publications were searched for using the Boolean search methodology. Multiple combinations of the following keywords (and their equivalents in Spanish) were used in the search: 'Mangrove'; '*Rhizophora*'; '*Avicennia*'; '*Laguncularia*'; '*Conocarpus*'; 'Mesoamerica'; 'MBRS'; 'MAR'; 'Caribbean'; 'Mexico'; 'Belize'; 'Guatemala'; and 'Honduras'. Only articles published from 1997 to date were used, as this date coincides with the declaration of the MAR as an ecoregion by all four countries, and therefore to

the direct management of the ecoregion. Books or book sections were not used, as we could not be sure of the peer-review process, and reviews were not included. Methodologies of articles were examined to ensure that research occurred in at least one of the four MAR countries and within the boundaries of the MAR ecoregion, as we delimited it. A total of 81 peer-reviewed publications (see supplementary materials for a full list of publications) were identified and the research undertaken in each country was tallied. Where research occurred in multiple countries in a single paper, each country received a tally.

Identification of threats

A fine scale analysis of articles that were identified to focus on threats to mangroves was conducted to categorize the type of threat. Eight different threats were identified, a total of 29 times, and each threat was categorized as either natural or anthropogenic disturbances. *Natural disturbances* were: hurricanes; sea-level change; light gaps; seismic activity; tsunamis; and subsidence. *Anthropogenic disturbances* were: commercial development and deforestation. Threats identified were tallied and a proportion of each threat category was calculated based on the total number of threats identified.

A list of threats to Ramsar sites was obtained from the American Ramsar Secretariat. The threats were identified by future managers of Ramsar sites from a list of 51 options supplied by Ramsar (see supplementary materials for the full list of threats and their definitions) during the Ramsar site application process. The list of threats provided was pre-defined, and as a result not all threats reported may be relevant to the protected area, e.g. in Guatemala 'agriculture and aquaculture' was a reported threat. However,

187 aquaculture is currently not present in the Guatemalan Caribbean, in contrast
188 agriculture is present and is considered a threat to mangroves.

189 Thirty-seven different threats were identified by Ramsar managers, across the four
190 countries, a total of 236 times, with a maximum of twenty-two at a single site. We
191 categorized threats as either natural disturbances or anthropogenic disturbances.
192 *Natural disturbances* were: storms and flooding; fire and fire suppression; problematic
193 native species; invasive and other problematic species and genes; climate change and
194 severe weather; and invasive non-native/alien species. *Anthropogenic disturbances*
195 were: biological resource use; human settlements (non-agricultural); tourism and
196 recreation areas; housing and urban areas; fishing and harvesting aquatic resources;
197 natural system modifications; agriculture and aquaculture; pollution; logging and wood
198 harvesting; human intrusions and disturbances; hunting and collecting terrestrial
199 animals; vegetation clearance/land conversion; recreational and tourism activities;
200 gathering terrestrial plants; transportation and service corridors; water regulation;
201 household sewage; livestock farming and ranching; urban waste water; agriculture and
202 forestry effluents; drainage; dams and water management/use; energy production and
203 mining; unspecified development; wood and pulp plantations; mining and quarrying;
204 industrial and military effluents; water abstraction; garbage and solid waste; shipping
205 lanes; and air-borne pollutants. Individual threats that were reported were tallied as
206 either natural or anthropogenic disturbances, a proportion of each threat category was
207 calculated from the combined number of threats identified.

208 **Results**

209 *Mangrove cover*

210 Mangrove cover in the MAR is estimated at 239,176 ha, cover has declined across the
211 region since the 1990's, where mangroves covered approximately 350,000 ha (Figure
212 2), a loss of over 110,000 ha in a twenty-year period. Proportional cover of mangroves
213 in the MAR region varies considerably between and within the four countries. The
214 majority of mangrove cover within the MAR is located along the Yucatan Peninsula,
215 Campeche and Quintana Roo regions of Mexico (53.5%; 128,049 ha; Figure 2),
216 however Mexico has significantly greater mangrove cover in the Gulf of Mexico and on
217 the Pacific coastlines. Belize is the only country to have its entire coastline in the MAR,
218 and approximately one third of mangrove cover of the MAR is found in Belize (31.2%;
219 74,684 ha; Figure 2). Only a small fraction of the total mangrove cover of the region is
220 located in Guatemala (0.5%; 1,170 ha; Figure 2), the majority of Guatemalan
221 mangroves are located on the Pacific coast. Despite the size of its coastline, mangrove
222 cover in Honduras is a small proportion of the MAR total (14.7%; 35,273 ha; Figure 2).
223 Mangrove cover in Honduras is almost equally divided between the Caribbean and
224 Pacific coasts.




Figure 2 Mangrove cover within the MAR region. (a) Historical (Kramer and Kramer, 2002) and recent estimations of mangrove cover. (b) Total mangrove cover in each of the four MAR countries, with hectares of protected and unprotected mangrove highlighted. (Mexico (Rodríguez-Zúñiga *et al.*, 2013); Belize (Cherrington *et al.*, 2010); Guatemala (MARN, 2013); Honduras (Carrasco and Caviedes, 2014). *Some data from Honduras is from 2008.

Legislation and management

Comprehensive legislation exists within the region to protect mangroves. In Mexico, Guatemala and Honduras, mangroves are property of the state and stringent laws exist which prohibit the removal and cutting of mangroves and prevent changes in land use (Table 1). In contrast, the majority of Belizean mangroves are privately owned and only 30% are state owned. However, national legislation in Belize is applicable to all mangroves regardless of ownership. Within Belize, the cutting and clearance of mangroves is controlled by a permitting system, however the dredging and landfill of mangroves is only permitted under exceptional circumstances.

At the international level, the four countries of the MAR have ratified a total of seven international conventions and agreements to promote the management and sustainable use of marine and wetland resources (Table 1). The most important of these for mangroves is the Ramsar (wetlands) convention. Geopolitical differences influence regional cooperation, e.g. Mexico, a North American country, is excluded from Central American agreements, and Belize with a British rather than Spanish colonial heritage exhibits preferences with Caribbean Community agreements. All four countries are parties of the two main international conventions that are relevant to environmental protection: the Cartagena convention and Ramsar convention (Table 1). Honduras is the only country not to have ratified the Cartagena convention, but is a signatory to the convention. Additionally, all four countries ratified the Tulum declaration and the subsequent Mesoamerican barrier reef system project (www.mbrs.doe.gov.bz).

We identified a total of 43 protected areas in the MAR which have mangroves within their borders (Table 2), and estimate that just under half (46.6%; 111,396 ha) of the mangroves in the MAR are within the boundaries of a protected area. Over two thirds (31) of the protected areas have management plans (Table 2), although implementation of these plans may vary. The majority of management plans had no specific management strategies for mangroves, other than a reference to the national legislation, in the few instances where strategies were stated they were related to mangrove restoration, e.g. Shipstern Conservation and Management Area, Belize.

In Mexico, mangroves are the responsibility of the Department of Ecology and Environment, and the Institute for Flora, Fauna and Culture within the Secretariat of the Environment and Natural Resources. In addition, the National Commission for Natural

263 Protected Areas (CONANP) assumes responsibility for mangroves when they are
264 located within a protected area. CONANP may co-manage protected areas with a local
265 non-governmental organization (NGO). We identified 13 protected areas that contain
266 mangroves in Mexico, these areas provide protection to approximately 80% (100,764
267 ha) of Mexican mangroves forests in the MAR (Table 2; Figure 2).

268 In Belize, the Forestry Department within the Ministry of Agriculture and Fisheries is
269 responsible for managing Belizean mangroves. The Coastal Zone Management
270 Authority and Institute and Fisheries Department may also assume a management role.
271 NGO's co-manage a number of protected areas in Belize and therefore assume a direct
272 role in the management of mangroves. Private protected areas are increasingly popular,
273 and these areas are coordinated by the Belize Association of Private Protected Areas.
274 We were not able to identify any private protected areas that provided protection to
275 mangroves. Only a small proportion (12.9%) of the total mangrove cover of Belize is
276 located within the 15 protected areas (Table 2; Figure 2).

Table 1. Legislation, Agreements and Protection of Mangroves in the Mesoamerican Reef Region.

Mangrove Legislation		Mexico	Belize	Guatemala	Honduras
<i>Legislation</i>		General Wildlife Act 2000, Article 60.	Forestry Act 1989, Article 52. Forests Act Chapter 213, revised in 2003	Forestry Act 1996, Article 35.	Fisheries Act 1959, Article 52.
		It is prohibited to remove, transplant, prune or conduct any work or activity that may affect the integrality of the hydrological flow of mangroves.	Dredging and landfill is strictly prohibited unless there is significant benefit to the general population. Three types of permits can be issued for the alteration of mangroves, depending on the area of mangrove to be altered. Permits can be denied.	Change of land use of mangrove ecosystems is prohibited. By-law Resolution No. 01.25.98, Article 15 allows family consumption to a maximum of 5m ³ .yr ⁻¹	The removal and cutting of mangroves is prohibited.
<i>State ownership of mangroves</i>		100%	30%	100%	100%
Government Agencies					
<i>Government hierarchy for the management of mangroves</i>	<i>Ministry</i>	Secretariat of the Environment and Natural Resources	Ministry of Agriculture and Fisheries	Ministry of the Environment and Natural Resources	Secretariat of Energy, Natural Resources, Natural Environment and Mines
	<i>Department</i>	Department of Ecology and Environment; Institute for Flora, Fauna and Culture	Department of Forestry	National Forest Institute	Fisheries department
	<i>External departments</i>		Coastal Zone Management Authority and Institute; Department of Fisheries	National Council for Protected Areas	Institute for Conservation and Forest Development, Protected Areas and Wildlife
	<i>Other Agencies</i>	National Commission for Protected Natural Areas		National Council for Protected Areas	Local Municipal Environment Units
	<i>Non-government organizations</i>	e.g. Comunidad y Biodiversidad Asociacion Civil; Amigos de Sian Ka'an	e.g. Belize Association of Private Protected Areas; Toledo Institute for Development Environment	e.g. Fundación para el Ecodesarrollo y la Conservación	e.g. Bay Island Conservation Association; Roatan Marine Park
International and Regional Agreements					
<i>Cartagena Convention (*Signatory only)</i>		1985	1999	1989	1983*
<i>Wetlands Convention (Ramsar²)</i>		1986	1998	1990	1993
<i>Tulum Agreement</i>		1995	1995	1995	1995
<i>Mesoamerican Barrier Reef System Project</i>		1997	1997	1997	1997
<i>Central American Policy for the Conservation and Rational Use of Wetlands</i>		N/A	2002	2002	2002
<i>Ramsar Regional Initiative for the Integral Management and Wise use of Mangroves and Coral Reefs</i>		2009	-	2009	2009
<i>Ramsar Caribbean Wetlands Initiative</i>		-	2009	-	-

Table 2. Protected areas of the Mesoamerican Reef ecoregion with mangroves within their borders.

	MPA /NP	Ramsar site	Management plan	Reference
Mexico (n=13)				
Área de Protección de Fauna y Flora Yum Balam	X	X	Y	(CONANP, 2013)
Parque Nacional Isla Contoy	X	X	Y	(SEMARNAT & CONANP, 2015b)
Manglares de Nichupte		X	Y	(SEMARNAT & CONANP, 2014)
Parque Nacional Arrecifes de Puerto Morelos	X	X	Y	(SEMARNAP, 2000a)
Manglares y humedales del norte de la isla Cozumel		X	Y	(SEMARNAT, 2014)
Parque Marino Nacional Arrecifes de Cozumel	X	X	Y	(SEMARNAP, 1998a)
Playa Tortuguera X'Cacel-X'Cacelito		X	-	
Reserva de la Biósfera de Sian Ka'an	X	X	Y	(SEMARNAT & CONANP, 2015a)
Reserva de la Biósfera Banco Chinchorro	X	X	Y	(SEMARNAP, 2000b)
Parque Nacional Arrecifes de Xcalak	X	X	Y	(CONANP, 2004)
Parque Marino Nacional Punta Occidental Isla Mujeres, Punta Cancun y Punta Nizuc	X		Y	(SEMARNAP, 1998b)
Área Marina y Costera Protegida Actam Chuleb	X		-	
Zona Sujeta de Conservación Ecológica Santuario Manati	X		-	
Bahia Chetumal				
<i>Total:</i>	<i>10</i>	<i>10</i>	<i>10</i>	
Belize (n=14)				
Bacalar Chico National Park and Marine Reserve	X		Y	(BFD, 2004)
Laughing Bird Caye National Park	X		Y	(BFoD, 2010)
Payne's Creek National Park	X		-	
Sarstoon-Temash National Park	X	X	Y	
Shipstern Conservation & Management Area	X		Y	(PACT, 2016)
Corozal Bay Wildlife Sanctuary	X		-	
Swallow Caye Wildlife Sanctuary	X		-	
Half Moon Caye Natural Monument	X		Y	(BAS, 2007)
Caye Caulker Marine Reserve	X		Y	(BCZMIA & BFD, 2004)
Gladden Spit and Silk Cayes Marine Reserve	X		Y	(BFD, 2010a)
Glover's Reef Marine Reserve	X		Y	(BFD, 2007)
Hol Chan Marine Reserve	X		Y	(BFD, 2002)
Port Honduras Marine Reserve	X		Y	(BFD, 2012a)
Sapodilla Cayes Marine Reserve	X		Y	(BFD, 2010b)
South Water Caye Marine Reserve	X		Y	(BFD, 2009)
Turneffe Atoll Marine Reserve	X		Y	(BFD, 2012b)
<i>Total:</i>	<i>15</i>	<i>1</i>	<i>12</i>	
Guatemala (n=2)				
Reserva de usos múltiples río Sartsun	X	X	Y	(CONAP, 2009)
Punta de Manabique	X	X	Y	(CONAP, 2011)
<i>Total:</i>	<i>2</i>	<i>2</i>	<i>2</i>	
Honduras (n=13)				
Parque Nacional Sistema de Humedales de Cuyamel – Omoa	X	X	-	
Parque Nacional Jeannette Kawas	X	X	Y	(ICF, 2012a)
Refugio de Vida Silvestre Punto Izopo	X	X	Y	(ICF, 2012b)
Sistema Humedales Laguna de Zambuco		X	-	
Refugio de Vida Silvestre Cuero y Salado (Barras de Cuero y Salado)	X	X	Y	(ICF, 2011)
Parque Nacional de las islas de la Bahía	X		Y	(IHT y ICF, 2015)
Zona de Protección Especial Marina Turtle Harbour – Rock Harbour y el Sistema de Humedales de la Isla de Utila	X	X	Y	(IHT y ICF, 2012)
Zona de Protección Especial Marina Sandy Bay West End	X		-	
Parque Nacional Port Royal	X		-	
Monumento Natural Marino Archipiélago Cayos Cochinos	X		Y	(CMCC, 2009)
Refugio de Vida Silvestre Laguna de Guaimoreto	X		-	
Reserva de la Biósfera del Río Platano	X		Y	(ICF, 2013)
Laguna de Bacalar		X	-	
<i>Total:</i>	<i>11</i>	<i>7</i>	<i>7</i>	
Grand totals	43	38	31	

Mangroves in Guatemala are the responsibility of the National Forest Institute within the Ministry of the Environment and Natural Resources. The National Council for Protected Areas (CONAP) has a role in mangrove management when mangroves are located in protected areas (Table 1). Protected areas are co-managed by CONAP and local NGO's and these organizations assume the day to day responsibilities of the protected areas. The majority of mangroves within Guatemala (88.2%) are located within the two protected areas (Table 2; Figure 2).

The responsibility of mangroves in Honduras resides with the Department of Fisheries under the Secretariat of Energy, Natural Resources, Natural Environment and Mines, and local municipal environmental units have a role in mangrove management within their jurisdiction. Within protected areas, mangroves receive additional management from the Conservation and Forest Development, Protection and Wildlife Institute and local NGO's. The NGO's assume the day-to-day responsibilities of the protected areas. A total of 13 protected areas have been declared that have mangroves within their boundaries, however limited mangrove cover data is available, which precludes an accurate estimation of mangrove coverage within Honduran protected areas (Table 2).

Threats to mangroves

A total of 81 peer-reviewed articles focusing on mangroves were identified within the MAR region. The majority of the research was conducted in Belize (68.2%), the remaining studies were conducted in Mexico (22.0%) and Honduras (9.8%). No peer-reviewed primary mangrove research identified from Guatemala. Of the 81 peer-reviewed articles identified, 15 of these address threats to mangroves (Ellison and Farnsworth, 1997; Feller *et al.*, 1999; Cahoon *et al.*, 2003; Piou *et al.*, 2006; Mckee,

300 Cahoon and Feller, 2007; McKee, Rooth and Feller, 2007; Taylor *et al.*, 2007;
301 Vaneslow, Kolb and Fickert, 2007; Granek and Ruttenberg, 2007; Carrillo-Bastos,
302 Elizalde-Rendón, Erika Marcela Torrescano Valle and Flores Ortiz, 2008; Islebe *et al.*,
303 2009; Macintyre *et al.*, 2009; Mckee and Vervaeke, 2009; Hiraes-Cota *et al.*, 2010;
304 McCloskey and Liu, 2013),, a total of 8 different threats were classified. A total of 37
305 different threats, were identified from the 20 Ramsar sites, the majority of which were
306 anthropogenic (90.7%), e.g. 'logging', 'aquaculture and coastal development' (Figure 3).
307 The majority of peer-reviewed mangrove research from the MAR region has focused on
308 natural disturbances (71.4%) of mangrove systems (Figure 3). These trends are not just
309 a regional trend, but hold for each of the individual countries, where researchers and
310 managers foci are on natural and anthropogenic disturbances, respectively (Figure 3).
311 Primary research interests include hurricanes and sea-level change, and Ramsar
312 managers across the region are concerned with deforestation, agriculture, and
313 development.




Figure 3. Threats to mangroves of the MAR as identified by Ramsar managers and within peer-reviewed publications (a) throughout the MAR; and (b) individual countries: M – Mexico; B – Belize; G – Guatemala; and H - Honduras.

Discussion

Despite the stringent national legislation and international agreements which provide protection to mangrove forests, and the additional protection provided by the 43 protected areas (which contain mangroves), mangrove cover in the MAR declined by over 110,000 ha from 1990-2010, with an estimated current cover of 239,176 ha, equivalent to 1.7% of the world's mangroves (Giri *et al.*, 2011). The greatest losses were observed in Mexico and Honduras. The decline in mangrove cover suggests a problem with enforcement. We suggest a lack of resources for enforcement, transparency within the governance framework, and lack of political will as potential reasons for the failure in the enforcement of mangrove legislation. The number of organizations responsible for the management and protection of mangroves in each country varies and causes confusion, with the exact role of each party unclear. Each

country has a specific government department responsible for mangrove protection, with additional oversight from external agencies and non-government organizations (NGO's) when mangroves are located in protected areas. It must be noted that such discrepancies are not unique to mangrove systems or to this region (Rife *et al.*, 2013). Limited national budgets of the four countries reduce governmental institutional capacity, which has resulted in civil society in the form of NGO's filling the void in the management of protected areas. NGO's assume an important role as co-managers of protected areas, fulfilling the day-to-day management duties. However, a lack of authoritative power and a lack of human capacity to physically patrol often large and remote areas, inhibits the ability of NGO's to enforce environmental legislation (Cudney-Bueno *et al.*, 2009; Rife *et al.*, 2013). In essence many of the protected areas in each of the four countries could be considered "paper parks", as they provide no greater protection or management to mangroves than national legislation (Rife *et al.*, 2013). It is important not to be too critical of these institutions, however, all of which are operating on limited resources. The focus should be on how to support and build capacity of these organizations to allow them to improve mangroves and natural resource management efficacy.

Geopolitical interests of the different countries have reduced collaborative efforts of mangrove protection. Despite the four countries sharing an ecoregion, significant geopolitical divisions exist. This is exemplified by Belize ratifying a separate Ramsar initiative to the other three countries. The paradox is that despite having the same or very similar objectives, the four countries are not working together to achieve these goals. A lack of collaboration and harmonization in how management strategies are

developed and implemented can reduce mangrove protection, especially in forests that straddle international borders (McCallum, Vasilijević and Cuthill, 2015). Belize is the only country where all of mangroves are within the boundaries of the MAR. In contrast Mexico and Guatemala have significantly greater mangrove cover on other coastlines, and a little more than half of the mangrove cover of Honduras is concentrated within the Gulf of Fonseca, on the Pacific coast. Threats to mangroves may vary significantly on the different coasts, and therefore influence how national mangrove legislation is developed, and how governments prioritize limited management resources. Regardless, greater collaborative efforts, such as the Mesoamerican Barrier Reef System Project, need to be established to promote the protection of marine resources, and facilitate transboundary initiatives that recognize that ecological populations do not align with geopolitical boundaries. There is a high probability that mangrove forests within the region are connected as recent studies have shown high levels of ecological connectivity in the MAR region for lobster, fish and corals (Butler *et al.*, 2011; Truelove *et al.*, 2015; Chollett *et al.*, 2017).

Evidence based decision-making has been well documented as an important component of resource management (Christensen *et al.*, 1996; Ruckelshaus *et al.*, 2008). However, in the papers we reviewed there appears to be no discernible link between researcher recommendations and resource manager decision-making or actions. Concluding statements within articles may make some reference to conservation or management, but usually included no advice on how to apply research findings directly to management. Additionally, our study identified a disconnection between Ramsar site managers and the scientific community. Managers were primarily

376 focused on localized anthropogenic threats (e.g. Macintyre *et al.*, (2009)), while
377 researchers focused on natural disturbances, such as hurricane events (Vaneslow, Kolb
378 and Fickert, 2007) and the impact of sea-level change (Mckee, Cahoon and Feller,
379 2007). Both anthropogenic and natural threats have either had, or have, the potential to
380 negatively affect mangrove cover, but the different foci of researchers and managers is
381 likely to hinder progress in mitigating threats from either source.

382 It is crucial that researchers and managers increase their communication and work
383 together to understand the full complexity of the threats to mangrove forests. Combining
384 these different priorities could bring important benefits. For example, the identification of
385 areas of mangrove forests resilient to climate change can focus management efforts
386 and create local priority conservation zones where anthropogenic disturbances should
387 be minimized. Both groups are focusing on important issues, however the assumed lack
388 of dialogue between stakeholders precludes the integration of science into mangrove
389 management plans. Cvitanovic *et al.* (2014) have reported similar disconnects in the
390 management of coral dominant marine protected areas. They proposed knowledge
391 brokers, boundary organizations, knowledge co-production and management-orientated
392 summaries in research articles as potential solutions to provide managers access to
393 scientific outputs. The HRI program has put some of these in place within the MAR
394 primarily focused on coral reefs, but these could be adapted to facilitate greater
395 communications between managers to promote science lead mangrove management.
396 In addition, discussion forums exist, such as the mangrove list
397 (majordomo@essun1.murdoch.edu.au). Listserves provide a forum where individuals

398 can pose questions to experts in an array of different fields and can provide useful
399 dialogue between practitioners and researchers.

400 These potential solutions provide important links between peer-reviewed conservation
401 science and conservation managers, but the dichotomy of researcher and manager foci
402 must also be addressed. Combining current research interests of natural disturbances
403 with local management concerns of anthropogenic stresses, in particular the
404 understanding of local drivers of deforestation, is critical. However, if institutional
405 capacity is lacking, then the implementation of management strategies will always be
406 problematic. Building capacity within and among government departments and NGO's
407 to ensure the effective enforcement of legislation and promote links with the scientific
408 community to facilitate science-based decision-making is vital for the management of
409 mangroves in the MAR, and elsewhere. It is important that managers have access to
410 and make use of current research, especially when developing management plans
411 (Adeel and Pomeroy, 2002; Iftekhhar and Islam, 2004; Schmitt and Duke, 2015). There is
412 also an onus on researchers to increase the availability of their research to
413 management authorities, not just government agencies, potentially through regional
414 online archives or data repositories. Additionally, researchers should engage managers
415 prior to conducting their research to foster a dialogue that can promote mangrove
416 management and conservation efforts. Promoting public awareness to garner political
417 will is also important, and a greater understanding of the ecosystem services provided
418 by mangroves to local communities and their inclusion in management has the potential
419 to increase the protection and conservation of mangroves (Shunula, 2002; Sudtongkong
420 and Webb, 2008; Datta, Chattopadhyay and Guha, 2012).

421 We propose the following recommendations to promote management of mangroves
422 within the region:

423 (1) Coordinated and detailed mapping projects in Belize and Honduras to provide more
424 recent estimates of mangrove cover that can be used to set baselines from which
425 management actions can be monitored and assessed;

426 (2) The implementation of a systematic, harmonized, mangrove monitoring protocol
427 throughout the region that will facilitate comparisons of mangrove forest status;

428 (3) A program of work to increase understanding of the connectivity of mangrove
429 populations throughout and beyond the MAR ecoregion, which can then be used to
430 identify areas where greater collaborations are needed;

431 (4) The creation of a repository of scientific literature of the region to which researchers
432 can submit their research, making it available for practitioners in the region and
433 providing another step towards an increased dialogue between managers and the
434 scientific community.

435 Our proposals require coordination and management of resources and information
436 across the MAR. The HRI program already brings together stakeholders from across
437 the region, but at present is heavily coral reef focused. Mangrove coverage was an key
438 indicator within the original HRI guide (McField and Kramer, 2007), and therefore could
439 become part of the biennially produced report card, which provides stakeholders an
440 update on the status of marine resources. Our suggestion is that the network of
441 contacts and collaborations within this program could be used to facilitate more

coordinated monitoring and assessment of mangroves and seagrass ecosystems in the region.

Conclusion

The stringent national legislation and international agreements which should provide protection to mangrove forests within the MAR are ineffective. A number of local anthropogenic stressors threaten mangrove forests, and despite comprehensive legislation, mangrove cover has declined in all four countries. Capacity building of government and non-government institutions is required, as a lack of capacity has reduced environmental regulation enforcement. Local anthropogenic stressors are of greatest concern to managers of protected areas, whilst scientific research is focused on natural disturbances, primarily climate change. These different focuses can be advantageous if they can be linked effectively. For example, the identification of climate change resilient mangrove forests can channel mangrove management efforts to maximize effectiveness of limited resources. Greater understanding of drivers of local anthropogenic threats to mangroves is required to provide managers with the necessary tools to reduce these threats and promote mangrove forests and the ecosystem services they provide. To promote successful management, we suggest the reinforcement of institutional capacity, enhance links between government departments and civil society and increase science-based decision-making within protected areas management plans.

Acknowledgements

This is Smithsonian Marine Station at Ft. Pierce, Florida, Contribution No. 1081. We thank Dr. Melanie McField, Marisol Rueda, Anan Giro and Ian Drysdale for their insights on each of the four countries. SWJC received funding from the Summit Foundation.

References

- Adeel, Z. and Pomeroy, R. (2002) 'Assessment and management of mangrove ecosystems in developing countries', *Trees*, 16(2–3), pp. 235–238. doi: 10.1007/s00468-002-0168-4.
- Alongi, D. M. (2002) 'Present state and future of the worlds mangrove forests', *Environmental Conservation*, 29(3), pp. 331–349. doi: 10.1017/s0376892902000231.
- Barbier, Edward B.; Hacker, Sally D.; Kennedy, Chris; Kock, Evamaria W.; Stier, A. C. and B. R. S. (2011) 'The value of estuarine and coastal ecosystem services', *Ecological Monographs*, 81(2), pp. 169–193. doi: 10.1890/10-1510.1.
- BAS (2007) *Half Moon Caye and Blue Hole Natural Monuments Management Plan*.
- BCZMIA & BFD (2004) 'Caye Caulker Forest and Marine Reserve - Integrated Management Plan', *Belize Coastal Zone Management Institute/Authority and Belize Fisheries Department*, p. 191.
- BFD (2002) 'Hol Chan Marine Reserve Management Plan', *Belize Fisheries Department*, p. 172.
- BFD (2004) 'The Revised Bacalar Chico National Park & Marine Reserve Management Plan', *Belize Fisheries Department*, p. 209.
- BFD (2007) 'Management Plan Glover ' s Reef Marine Reserve World Heritage Site', *Belize Fisheries Department*, p. 167.
- BFD (2009) 'Management Plan South Water Caye Marine Reserve World Heritage

486 Site', *Belize Fisheries Department*.

487 BFD (2010a) 'Gladden Spit and Silk Cayes Marine Reserve Management Plan', *Belize*
 488 *Fisheries Department*, p. 221.

489 BFD (2010b) 'Sapodilla Cayes Marine Reserve Management Plan', *Belize Fisheries*
 490 *Department*, p. 238. Available at:
 491 [http://docs.lib.noaa.gov/noaa_documents/CoRIS/Sapodilla-Cayes-Mgmt-Plan_2011-](http://docs.lib.noaa.gov/noaa_documents/CoRIS/Sapodilla-Cayes-Mgmt-Plan_2011-16.pdf)
 492 [16.pdf](http://docs.lib.noaa.gov/noaa_documents/CoRIS/Sapodilla-Cayes-Mgmt-Plan_2011-16.pdf).

493 BFD (2012a) 'Management plan Port Honduras Marine Reserve', *Belize Fisheries*
 494 *Department*, 0, p. 212.

495 BFD (2012b) 'Turneffe Atoll Marine Reserve Management Plan', *Belize Fisheries*
 496 *Department*, p. 293.

497 BFoD (2010) 'Laughing Bird Caye National Park Management Plan', *Belize Forestry*
 498 *Department*, p. 225.

499 Box, S. and Canty, S. (2010) 'The Long and Short Term Economic Drivers of
 500 Overexploitation in Honduran Coral Reef Fisheries Due to Their Dependence on Export
 501 Markets', *Proceedings of the 63rd Gulf and Caribbean Fisheries Institute*, 63, pp. 43–51.

502 Butler, M. J. *et al.* (2011) 'Behavior constrains the dispersal of long-lived spiny lobster
 503 larvae', *Marine Ecology Progress Series*, 422(Clarke 1933), pp. 223–237. doi:
 504 10.3354/meps08878.

505 Cahoon, D. R. *et al.* (2003) 'Mass tree mortality leads to mangrove peat collapse at Bay
 506 Islands, Honduras after Hurricane Mitch', *Journal of Ecology*, 91(6), pp. 1093–1105. doi:
 507 10.1046/j.1365-2745.2003.00841.x.

508 Carrasco, J. C. and Caviedes, V. (2014) *Diagnóstico de los Ecosistemas Marino -*

509 *Costeros y de Agua Dulce de Honduras.*

510 Carrillo-Bastos, A., Elizalde-Rendón, Erika Marcela Torrescano Valle, N. and Flores

511 Ortiz, G. (2008) 'Adaptacion ante disturbios naturales, manglar de Puerto Morelos,

512 Quitana Roo, Mexico', *Foresta Veracruzana*, 10(1), pp. 31–38.

513 Carter, H., Schmidt, S. and Hirons, A. (2015) 'An International Assessment of Mangrove

514 Management: Incorporation in Integrated Coastal Zone Management', *Diversity*, 7(2),

515 pp. 74–104. doi: 10.3390/d7020074.

516 Cherrington, E. A. *et al.* (2010) *Forest Cover and Deforestation in Belize: 1980-2010*,

517 *Water Center for the Humid Tropics of Latin America and the Caribbean*. Panama City.

518 Chollett, I. *et al.* (2017) 'A case for redefining the boundaries of the Mesoamerican Reef

519 Ecoregion', *Coral Reefs*. Springer Berlin Heidelberg, pp. 1–8. doi: 10.1007/s00338-017-

520 1595-4.

521 Christensen, N. L. *et al.* (1996) 'The Report of the Ecological Society of America

522 Committee on the Scientific Basis for Ecosystem Management', *Ecological Applications*,

523 6(3), pp. 665–691.

524 CMCC (2009) *Plan de Manejo Pesquero del Monumento Natural de Cayos Cochinos* ,

525 *Honduras*. Edited by S. Andraka, C. Bouroncle, and C. García-Sáez.

526 CONANP (2004) 'Programa de Manejo Parque Nacional Arrecifes de Xcalak.',

527 *Comisión Nacional de Áreas Naturales Protegidas*, p. 162. doi:

528 10.1017/CBO9781107415324.004.

529 CONANP (2013) 'Programa de Manejo Yum Balam', *Comisión Nacional de Áreas*

530 *Naturales Protegidas*, p. 154.

531 CONAP (2009) 'Plan Maestro 2010-2014 Área de Uso Múltiple Río Sarstun', *Consejo*

532 *Nacional de Áreas Protegida*, p. 142. Available at:

533 [http://www.conap.gob.gt/phocadownload/Centro_Documentacion/planes_maestros/plan](http://www.conap.gob.gt/phocadownload/Centro_Documentacion/planes_maestros/plan_maestro_rio_sarstun_200709.pdf)

534 [maestro_rio_sarstun_200709.pdf](http://www.conap.gob.gt/phocadownload/Centro_Documentacion/planes_maestros/plan_maestro_rio_sarstun_200709.pdf).

535 CONAP (2011) 'Plan de Conservación de Area Refugio de Vida Silvestre Punta de

536 Manabique', *Consejo Nacional de Áreas Protegida*.

537 Costanza, R. *et al.* (1997) 'The value of the world's ecosystem services and natural

538 capital', *Nature*, 387(6630), pp. 253–260. doi: 10.1038/387253a0.

539 Cudney-Bueno, R. *et al.* (2009) 'Governance and effects of marine reserves in the Gulf

540 of California, Mexico', *Ocean and Coastal Management*, 52(3–4), pp. 207–218. doi:

541 10.1016/j.ocecoaman.2008.12.005.

542 Cvitanovic, C. *et al.* (2014) 'Utility of primary scientific literature to environmental

543 managers: An international case study on coral-dominated marine protected areas',

544 *Ocean and Coastal Management*. Elsevier Ltd, 102(PA), pp. 72–78. doi:

545 10.1016/j.ocecoaman.2014.09.003.

546 Datta, D., Chattopadhyay, R. N. and Guha, P. (2012) 'Community based mangrove

547 management: A review on status and sustainability', *Journal of Environmental*

548 *Management*. Elsevier Ltd, 107, pp. 84–95. doi: 10.1016/j.jenvman.2012.04.013.

549 Doiron, S. and Weissenberger, S. (2014) 'Sustainable dive tourism: Social and

550 environmental impacts - The case of Roatan, Honduras', *Tourism Management*

551 *Perspectives*. Elsevier Ltd, 10(April), pp. 19–26. doi: 10.1016/j.tmp.2013.12.003.

552 Duke, N. C. *et al.* (2007) 'A World Without Mangroves?', *Science*, 317(5834), pp. 41–

553 42.

554 Ellison, A. M. (2004) 'Wetlands of Central America', *Wetlands Ecology and*

555 *Management*, 12, pp. 3–55. doi: 10.1023/B:WETL.0000016809.95746.b1.

556 Ellison, A. M. and Farnsworth, E. J. (1997) 'Simulated sea level change alters anatomy,
557 physiology, growth and reproduction of red mangrove (*Rhizophora mangle* L.)',
558 *Oecologia*, 112(4), pp. 435–446.

559 FAO (2007) 'The world's mangroves 1980-2005', *FAO Forestry Paper*, 153, p. 89. doi:
560 978-92-5-105856-5.

561 Feller, I. C. *et al.* (1999) 'Effects of Nutrient Enrichment on within-Stand Cycling in a
562 Mangrove Forest', *Ecology*, 80(7), pp. 2193–2205.

563 Gilman, E. L. *et al.* (2008) 'Threats to mangroves from climate change and adaptation
564 options: A review', *Aquatic Botany*, 89(2), pp. 237–250. doi:
565 10.1016/j.aquabot.2007.12.009.

566 Giri, C. *et al.* (2011) 'Status and distribution of mangrove forests of the world using earth
567 observation satellite data', *Global Ecology and Biogeography*, 20(1), pp. 154–159. doi:
568 10.1111/j.1466-8238.2010.00584.x.

569 Godoy, M. D. P. and De Lacerda, L. D. (2015) 'Mangroves response to climate change:
570 A review of recent findings on mangrove extension and distribution', *Anais da Academia*
571 *Brasileira de Ciencias*, 87(2), pp. 651–667. doi: 10.1590/0001-3765201520150055.

572 Granek, E. F. and Ruttenberg, B. I. (2007) 'Protective capacity of mangroves during
573 tropical storms: a case study from "Wilma" and "Gamma" in Belize', *Marine Ecology*
574 *Progress Series*, 343, pp. 101–105. doi: 10.3354/meps07141.

575 Hiraes-Cota, M. *et al.* (2010) 'Drivers of mangrove deforestation in Mahahual-Xcalak,
576 Quintana Roo, southeast Mexico', *Ciencias Marinas*, 36(2), pp. 147–159.

577 ICF (2011) 'Plan de Manejo Refugio de Vida Silvestre Barras de Cuero y Salado',

578 *Instituto Nacional de Conservacion y Desarrollo Forestal, Areas Protegidas y Vida*
579 *Silvestre*, p. 208.

580 ICF (2012a) 'Plan de Manejo del Parque Nacional Blanca Jeannette Kawas Fernandez',
581 *Instituto Nacional de Conservacion y Desarrollo Forestal, Areas Protegidas y Vida*
582 *Silvestre*, p. 251. Available at:
583 http://www.galapagospark.org/documentos/DPNG_plan_de_manejo_10_5.1.pdf.

584 ICF (2012b) 'Plan de Manejo Parque Nacional Punta Izopo', *Instituto Nacional de*
585 *Conservacion y Desarrollo Forestal, Areas Protegidas y Vida Silvestre*.

586 ICF (2013) 'Plan de Conservación de la Reserva del Hombre y la Biósfera del Río
587 Plátano', *Instituto Nacional de Conservacion y Desarrollo Forestal, Areas Protegidas y*
588 *Vida Silvestre*, p. 99.

589 Iftekhar, M. S. and Islam, M. R. (2004) 'Managing mangroves in Bangladesh: A strategy
590 analysis', *Journal of Coastal Conservation*, 10(1), p. 139. doi: 10.1652/1400-
591 0350(2004)010[0139:MMIBAS]2.0.CO;2.

592 IHT y ICF (2012) 'Plan de Manejo del Refugio de Vida Silvestre Turtle Harbour',
593 *Instituto Hondureño de Turismo y Instituto Nacional de Conservacion y Desarrollo*
594 *Forestal, Areas Protegidas y Vida Silvestre*.

595 IHT y ICF (2015) 'Plan de Manejo del Parque Nacional Marino Islas de la Bahia',
596 *Instituto Hondureño de Turismo y Instituto Nacional de Conservacion y Desarrollo*
597 *Forestal, Areas Protegidas y Vida Silvestre*, p. 160. doi:
598 10.1017/CBO9781107415324.004.

599 Islebe, G. A. *et al.* (2009) 'Efectos del impacto del Huracn Dean en la vegetacion del
600 sureste de Quinatan Roo, Mexico', *Foresta Veracruzana*, 11(1), pp. 1–6.

601 Kramer, P. A. and Kramer, P. R. (2002) *Ecoregional conservation planning for the*
602 *Mesoamerican Caribbean reef*. Edited by M. McField. Washington D.C.

603 Macintosh, D. J. and Ashton, E. C. (2002) *A Review of Mangrove Biodiversity*
604 *Conservation and Management*.

605 Macintyre, I. G. *et al.* (2009) 'Decimating mangrove forests for commercial development
606 in the Pelican Cays, Belize: Long-term ecological loss for short-term gain?',
607 *Smithsonian Contributions to the Marine Sciences*, (38), pp. 281–290.

608 MARN (2013) *Estudio de la cobertura de mangle en la República de Guatemala*.
609 Guatemala: MARN. vi +54p.

610 McCallum, J. W., Vasiljević, M. and Cuthill, I. (2015) 'Assessing the benefits of
611 Transboundary Protected Areas: A questionnaire survey in the Americas and the
612 Caribbean', *Journal of Environmental Management*, 149, pp. 245–252. doi:
613 10.1016/j.jenvman.2014.10.013.

614 McCloskey, T. A. and Liu, K. (2013) 'Sedimentary History of Mangrove Cays in Turneffe
615 Islands, Belize: Evidence for Sudden Environmental Reversals', *Journal of Coastal*
616 *Research*, 29(4), pp. 971–983. doi: 10.2112/JCOASTRES-D-12-00156.1.

617 McField, M. and Kramer, P. (2007) *Healthy Reefs for Healthy People A Guide to*
618 *Indicators of Reef Health and Social Well-being in the Mesoamerican Reef Region*. With
619 contributions by M. Gomez and M. McPherson.

620 McKee, K. L., Cahoon, D. R. and Feller, I. C. (2007) 'Caribbean mangroves adjust to
621 rising sea level through biotic controls on change in soil elevation', *Global Ecology and*
622 *Biogeography*, 16(5), pp. 545–556. doi: 10.1111/j.1466-8238.2007.00317.x.

623 McKee, K. L., Rooth, J. E. and Feller, I. C. (2007) 'Mangrove recruitment after forest

disturbance is facilitated by herbaceous species in the Caribbean', *Ecological Applications*, 17(6), pp. 1678–1693. doi: 10.1890/06-1614.1.

Mckee, K. L. and Vervaeke, W. C. (2009) 'Impacts of Human Disturbance on Soil Erosion Potential and Habitat Stability of Mangrove-Dominated Islands in the Pelican Cays and Twin Cays Ranges, Belize', *Smithsonian Contribution to the Marine Sciences*, (April).

Nagelkerken, I. *et al.* (2008) 'The habitat function of mangroves for terrestrial and marine fauna: A review', *Aquatic Botany*, 89(2), pp. 155–185. doi: 10.1016/j.aquabot.2007.12.007.

Núñez-Farfán, J. *et al.* (2002) 'Genetic divergence among Mexican populations of red mangrove (*Rhizophora mangle*): geographic and historic effects', *Evolutionary Ecology Research*, 4, pp. 1049–1064.

PACT (2016) *Management Plan Shipstern Nature Reserve 2011-2016*.

Piou, C. *et al.* (2006) 'Zonation patterns of Belizean offshore mangrove forests 41 years after a catastrophic hurricane', *Biotropica*, 38(3), pp. 365–374. doi: 10.1111/j.1744-7429.2006.00156.x.

Polidoro, B. A. *et al.* (2010) 'The loss of species: mangrove extinction risk and geographic areas of global concern.', *PloS one*, 5(4), p. e10095. doi: 10.1371/journal.pone.0010095.

Rife, A. N. *et al.* (2013) 'When good intentions are not enough ... Insights on networks of "paper park" marine protected areas', *Conservation Letters*, 6(3), pp. 200–212. doi: 10.1111/j.1755-263X.2012.00303.x.

Rodríguez-Zúñiga, M. T. *et al.* (2013) *Manglares de Mexico. Extension, distribution, y*

647 *monitoreo.*, *Comision Nacional para el Conocimiento y Uso de la Biodiversidad*. Mexico
648 D.F.

649 Rönnbäck, P., Crona, B. and Ingwall, L. (2007) 'The return of ecosystem goods and
650 services in replanted mangrove forests: perspectives from local communities in Kenya',
651 *Environmental Conservation*, 34(4), pp. 313–324. doi: 10.1017/S0376892907004225.

652 Ruckelshaus, M. *et al.* (2008) 'Marine Ecosystem-based Management in Practice:
653 Scientific and Governance Challenges', *BioScience*, 58(1), p. 53. doi:
654 10.1641/B580110.

655 Saenger, P. (2002) *Mangrove Ecology, Silviculture and Conservation*. Edited by Ist.
656 Kluwer Academic Publishers.

657 Sasmito, S. D. *et al.* (2016) 'Can mangroves keep pace with contemporary sea level
658 rise? A global data review', *Wetlands Ecology and Management*. Springer Netherlands,
659 24(2), pp. 263–278. doi: 10.1007/s11273-015-9466-7.

660 Sathirithai, S. and Barbier, E. B. (2001) 'Valuing mangrove conservation in southern
661 Thailand', *Contemporary Economic Policy*, 19(2), pp. 109–122.

662 Schaeffer-Novelli, Y. *et al.* (2016) 'Climate changes in mangrove forests and salt
663 marshes', *Braxilian Journal of Oceanography*, 64, pp. 37–52.

664 Schmitt, K. and Duke, N. C. (2015) 'Mangrove Management, Assessment and
665 Monitoring', *Tropical Forestry Handbook*, pp. 1–29. doi: 10.1111/btp.12004.

666 SEMARNAP (1998a) 'Programa de Manejo Parque Marino Nacional Arrecifes de
667 Cozumel , Quintana Roo', *Secretaría de Medio Ambiente, Recursos Naturales y Pesca*,
668 p. 164. doi: 10.1017/CBO9781107415324.004.

669 SEMARNAP (1998b) 'Programa de manejo parque marino nacional costa occidental de

670 Isla Mujeres, Punta Cancun y Punta Nizuc', *Secretaría de Medio Ambiente, Recursos*
671 *Naturales y Pesca*, p. 161.

672 SEMARNAP (2000a) 'Programa de Manejo Parque Nacional Arrecife de Puerto
673 Morelos', *Secretaría de Medio Ambiente, Recursos Naturales y Pesca*, p. 225.

674 SEMARNAP (2000b) 'Programa de Manejo Reserva de la Biosfera banco Chinchorro',
675 *Secretaría de Medio Ambiente, Recursos Naturales y Pesca*.

676 SEMARNAT (2014) 'Programa de manejo de la reserva estatal selvas y humedales de
677 Cozumel', *Secretaría de Medio Ambiente y Recursos Naturales*.

678 SEMARNAT & CONANP (2014) 'Programa de Manejo: Area de Proteccion de Flora y
679 Fauna, Manglares de Nichupte', *Secretaría de Medio Ambiente y Recursos Naturales y*
680 *Comisión Nacional de Áreas Naturales Protegidas*, p. 142.

681 SEMARNAT & CONANP (2015a) 'Programa de Manejo Complejo Sian Ka'an: Reserva
682 de la Biosfera Sian Ka'an, Área de Protección de Flora y Fauna Uaymil y Reserva de la
683 Biosfera Arrecifes de Sian Ka'an', *Secretaría de Medio Ambiente y Recursos Naturales*
684 *y Comisión Nacional de Áreas Naturales Protegidas*, p. 481. doi:
685 10.1017/CBO9781107415324.004.

686 SEMARNAT & CONANP (2015b) 'Programa de Manejo Parque Nacional Isla Contoy',
687 *Secretaría de Medio Ambiente y Recursos Naturales y Comisión Nacional de Áreas*
688 *Naturales Protegidas*, p. 220.

689 Short, F. T. *et al.* (2016) 'Impacts of climate change on submerged and emergent
690 wetland plants', *Aquatic Botany*. Elsevier B.V., 135, pp. 3–17. doi:
691 10.1016/j.aquabot.2016.06.006.

692 Shunula, J. (2002) 'Public awareness, key to mangrove management and conservation:

693 The case of Zanzibar', *Trees*, 16, pp. 209–212. doi: 10.1007/s00468-001-0147-1.

694 Sudtongkong, C. and Webb, E. L. (2008) 'Outcomes of state- vs. community-based
695 mangrove management in Southern Thailand', *Ecology and Society*, 13(2). doi:
696 10.5539/mas.v3n5p179.

697 Taylor, D. S. *et al.* (2007) 'Mangrove removal in the Belize cays: effects on mangrove-
698 associated fish assemblages in the intertidal and subtidal', *Bulletin of Marine Science*,
699 80(3), pp. 879–890.

700 Tomlinson, P. B. (1994) *The botany of mangroves*. Cambridge University Press.

701 Truelove, N. K. *et al.* (2015) 'Genetic evidence from the spiny lobster fishery supports
702 international cooperation among Central American marine protected areas',
703 *Conservation Genetics*, 16(2), pp. 347–358. doi: 10.1007/s10592-014-0662-4.

704 Truelove, N. K. *et al.* (2015) 'Genetic evidence from the spiny lobster fishery supports
705 international cooperation among Central American marine protected areas',
706 *Conservation genetics*, 16, pp. 347–358. doi: 10.1007/s10592-014-0662-4.

707 Valiela, I., Bowen, J. L. and York, J. K. (2001) 'Mangrove Forests: One of the World's
708 Threatened Major Tropical Environments', *BioScience*, 51(10), pp. 807–815.

709 Vaneslow, K. A., Kolb, M. and Fickert, T. (2007) 'Destruction and Regeneration of
710 Terrestrial, Littoral and Marine Ecosystems on the Island of Guanaja/Honduras Seven
711 Years after Hurricane Mitch', *Erdkunde*, 61(4), pp. 358–371.

712 Warren-Rhodes, K. *et al.* (2011) 'Mangrove ecosystem services and the potential for
713 carbon revenue programmes in Solomon Islands', *Environmental Conservation*, 38(4),
714 pp. 485–496. doi: 10.1017/S0376892911000373.

715